Neuroscience Letters, 220 (1996) 219–221
Elsevier Science Ireland Ltd.

AUTHOR INDEX

Abdel-Rahman, A.A., see Mao, L., 13
Allen, D.D., see Chang, M.C.J., 171
Almond, S.L., see Hirst, R.A., 101
Altura, B.M., Gebrewold, A., α-Tocopherol attenuates alcohol-induced cerebral vascular damage in rats: possible role of oxidants in alcohol brain pathology and stroke, 207
Ambrósio, A.F., Malva, J.O., Carvalho, A.P., Carvalho, C.M., Modulation of Ca^{2+} channels by activation of adenosine A_1 receptors in rat striatal glutamatergic nerve terminals, 163
Angulo, J.A., see Datta, U., 77
Antonelli, T., see Ferraro, L., 5
Aoki, K., see Takeuchi, H.-a., 191
Aragonés, M.D., see Catalán, R.E., 121
Arias, C.M., see Floyd, N.S., 105

Baba, H., see Matsumoto, A., 159
Ball, S.G., see Turner, N.A., 37
Bandler, R., see Floyd, N.S., 105
Behr, J., Empson, R.M., Schmitz, D., Gloveli, T., Heinemann, U., Electrophysiological properties of rat subicular neurons in vitro, 41
Bell, J.M., see Chang, M.C.J., 171
Benavides, J., see Lacor, P., 61
Bhargava, S., see Meyer, D.L., 109
Bilsky, E.J., Wang, T., Lai, J., Porreca, F., Selective blockade of peripheral delta opioid agonist induced antinociception by intrathecal administration of delta receptor antisense oligodeoxynucleotide, 155
Boado, R.J., Brain-derived peptides increase the expression of a bloodbrain barrier GLUT1 glucose transporter reporter gene, 53
Bradford, H.F., see Hurley, M.J., 66
Buckingham, S.D., see Grolleau, F., 142
Bulleit, R.F., see Lin, X., 81
Burke, R.E., see Kelly, W.J., 85

Carter, C., see Deffois, A., 117
Carvalho, A.P., see Ambrósio, A.F., 163
Carvalho, C.M., see Ambrósio, A.F., 163
Catalán, R.E., Aragonés, M.D., Martínez, A.M., Fernández, I., Involvement of sphingolipids in the endothelin-1 signal transduction mechanism in rat brain, 121
Chang, M.C.J., Grange, E., Rabin, O., Bell, J.M., Allen, D.D., Rapoport, S.I., Lithium decreases turnover of arachidonate in several brain phospholipids, 171
Chartier-Harlin, M.-C., see Lambert, J.-C., 57
Collet, L., see Morlet, T., 49
Collins, B.J., see Zhang, J., 97
Cornish J.L., van den Buuse M., Regional expression of c-*fos* in rat brain following stimulation of the ventral tegmental area, 17
Cruz-Sánchez, F.F., see Durany, N., 151

DaRe, J., see Miller, L.P., 73
Datta, U., Noailles, P.-A.H., Rodriguez, M., Kraft, M., Zhang, Y., Angulo, J.A., Accumulation of tyrosine hydroxylase messenger RNA molecules in the rat mesencephalon by chronic caffeine treatment, 77
Deffois, A., Fage, D., Carter, C., Inhibition of synaptosomal veratridine-induced sodium influx by antidepressants and neuroleptics used in chronic pain, 117

Delacourte, A., see Lambert, J.-C., 57
Ding, M., Zhang, M., Wong, J.L., Voskuhl, R.R., Ellison, G.W., Antisense blockade of inducible nitric oxide synthase in glial cells derived from adult *SJL* mice, 89
Dirig, D.M., Yaksh, T.L., Thermal hyperalgesia in rat evoked by intrathecal substance P at multiple stimulus intensities reflects an increase in the gain of nociceptive processing, 93
Duclaux, R., see Morlet, T., 49
Dupire, M.-J., see Lambert, J.-C., 57
Durany, N., Thome, J., Palomo, A., Foley, P., Riederer, P., Cruz-Sánchez, F.F., Homozygosity at the dopamine D3 receptor gene in schizophrenic patients, 151
Durrant, J.D., see Morlet, T., 49

Ellison, G.W., see Ding, M., 89
Empson, R.M., see Behr, J., 41
Enomoto, T., see Matsumoto, A., 159
Evans, J., Lillycrop, K.A., Serum growth factor regulation of the paired-box transcription factor P*ax*-3 in neuronal cells, 125
Ewert, J.-P., see Glagow, M., 215

Fage, D., see Deffois, A., 117
Fang, J., see Zhang, J., 97
Ferber, C., see Morlet, T., 49
Fernández, I., see Catalán, R.E., 121
Ferraro, L., Tanganelli, S., O'Connor, W.T., Antonelli, T., Rambert, F., Fuxe, K., The vigilance promoting drug modafinil decreases GABA release in the medial preoptic area and in the posterior hypothalamus of the awake rat: possible involvement of the serotonergic 5-HT_3 receptor, 5
Ferzaz, B., see Lacor, P., 61
Floyd, N.S., Keay, K.A., Arias, C.M., Sawchenko, P.E., Bandler, R., Projections from the ventrolateral periaqueductal gray to endocrine regulatory subdivisions of the paraventricular nucleus of the hypothalamus in the rat, 105
Foley, P., see Durany, N., 151
Foster, A.C., see Miller, L.P., 73
Frigard, B., see Lambert, J.-C., 57
Fujiwara, Y., see Matsumoto, A., 159
Fukuda, N., see Hashimoto, S., 129
Fuxe, K., see Ferraro, L., 5

Gebrewold, A., see Altura, B.M., 207
Glagow, M., Ewert, J.-P., Apomorphine-induced suppression of prey oriented turning in toads is correlated with activity changes in pretectum and tectum: [^{14}C]2DG studies and single cell recordings, 215
Gloveli, T., see Behr, J., 41
Grange, E., see Chang, M.C.J., 171
Grolleau, F., Lapied, B., Buckingham, S.D., Mason, W.T., Sattelle, D.B., Nicotine increases $[Ca^{2+}]_i$ and regulates electrical activity in insect neurosecretory cells (DUM neurons) via an acetylcholine receptor with 'mixed' nicotinic-muscarinic pharmacology, 142
Gulyaeva, N.V., Stepanichev, M.Y., Onufriev, M.V., Lazareva, N.A., Zarzhetsky, Y.V., Gurvitch, A.M., Volkov, A.V., Cardiac arrest induces decrease of nitric oxide synthase activity and increase of free radical generation in rat brain regions, 147
Gurvitch, A.M., see Gulyaeva, N.V., 147
Gysbers, J.W., Rathbone, M.P., Neurite outgrowth in PC12 cells is

enhanced by guanosine through both cAMP-dependent and -independent mechanisms, 175

Harada, M., see Mogi, M., 195
Harris, R.B.S., see Smagin, G.N., 167
Hashimoto, S., Kohsaka, M., Morita, N., Fukuda, N., Honma, S., Honma, K.-i., Vitamin B_{12} enhances the phase-response of circadian melatonin rhythm to a single bright light exposure in humans, 129
Hayakawa, T., see Kumura, E., 45
Heinemann, U., see Behr, J., 41
Higuchi, T., see Okere, C.O., 133
Hirst, R.A., Almond, S.L., Lambert, D.G., Characterisation of the rat cerebella CB1 receptor using SR141716A, a central cannabinoid receptor antagonist, 101
Honma, K.-i., see Hashimoto, S., 129
Honma, S., see Hashimoto, S., 129
Hsu, K.-S., Huang, C.-C., Lyu, P.-C., Inhibition of calcium channels in rat hippocampal CA1 neurons by conantokin-T, 113
Huang, C.-C., see Hsu, K.-S., 113
Hurley, M.J., Bradford, H.F., O'Hare, K., Stern, G.M., Uchida, K., Neural toxicity of retroviruses, 66

Ikemoto, K., Satoh, K., Kitahama, K., Maeda, T., Demonstration of a new dopamine-containing cell group in the primate rostral telencephalon, 69
Ingelson, M., Vanmechelen, E., Lannfelt, L., Microtubule-associated protein tau in human fibroblasts with the Swedish Alzheimer mutation, 9
Ingram, C.D., see Rahmani, H.R., 33

Jadhao, A.G., see Meyer, D.L., 109
Jelovich, L.A., see Miller, L.P., 73
Jiao, S., Miller, P.J., Lapchak, P.A., Enhanced delivery of [^{125}I]glial cell line-derived neurotrophic factor to the rat CNS following osmotic blood–brain barrier modification, 187

Keay, K.A., see Floyd, N.S., 105
Kellerth, J.-O., see Novikova, L., 203
Kelly, W.J., Burke, R.E., Apoptotic neuron death in rat substantia nigra induced by striatal excitotoxic injury is developmentally dependent, 85
Kicliter, E., see Meyer, D.L., 109
Kitahama, K., see Ikemoto, K., 69
Kohsaka, M., see Hashimoto, S., 129
Kondo, T., see Mogi, M., 195
Kosaka, H., see Kumura, E., 45
Kostović, I., see Letinić, K., 211
Kraft, M., see Datta, U., 77
Krueger, J.M., see Zhang, J., 97
Kumura, E., Yoshimine, T., Takaoka, M., Hayakawa, T., Shiga, T., Kosaka, H., Hypothermia suppresses nitric oxide elevation during reperfusion after focal cerebral ischemia in rats, 45

Lacor, P., Benavides, J., Ferzaz, B., Enhanced expression of the peripheral benzodiazepine receptor (PBR) and its endogenous ligand octadecaneuropeptide (ODN) in the regenerating adult rat sciatic nerve, 61
Lai, J., see Bilsky, E.J., 155
Lambert, D.G., see Hirst, R.A., 101
Lambert, J.-C., Pérez-Tur, J., Dupire, M.-J., Delacourte, A., Frigard, B., Chartier-Harlin, M.-C., Analysis of the APOE alleles impact in Down's syndrome, 57
Lannfelt, L., see Ingelson, M., 9
Lapchak, P.A., see Jiao, S., 187
Lapied, B., see Grolleau, F., 142
Lapillonne, A., see Morlet, T., 49
Lazareva, N.A., see Gulyaeva, N.V., 147
Letinić, K., Kostović, I., Transient patterns of calbindin-D_{28k} expression in the developing striatum of man, 211
Lidierth, M., Wall, P.D., Synchronous inherent oscillations of potentials within the rat lumbar spinal cord, 25
Lillycrop, K.A., see Evans, J., 125
Lin, X., Bulleit, R.F., Cell intrinsic mechanisms regulate mouse cerebellar granule neuron differentiation, 81
Lyu, P.-C., see Hsu, K.-S., 113

MacKenzie, E.T., see Schumann, P., 137
Madison, D.L., Pfeiffer, S.E., Cloning of the 3′ end of rat *bax*-α and corresponding developmental down-regulation in differentiating primary, cultured oligodendrocytes, 183
Maeda, T., see Ikemoto, K., 69
Malva, J.O., see Ambrósio, A.F., 163
Mao, L., Abdel-Rahman, A.A., Ethanol microinjection into the area postrema selectively attenuates baroreflex sensitivity measured by vasopressin in conscious rats, 13
Martínez, A.M., see Catalán, R.E., 121
Mason, W.T., see Grolleau, F., 142
Matsumoto, A., Enomoto, T., Fujiwara, Y., Baba, H., Matsumoto, R., β-amyloid-containing peptides by extracellular matrix and their degradation by the 68 kDa serine protease prepared from human brain, 159
Matsumoto, R., see Matsumoto, A., 159
Matsushima, T., see Takeuchi, H.-a., 191
McCrossan, D., see Withington, D.J., 29
Meyer, D.L., Jadhao, A.G., Bhargava, S., Kicliter, E., Bulbar representation of the 'water-nose' during *Xenopus* ontogeny, 109
Miller, L.P., Jelovich, L.A., Yao, L., DaRe, J., Ugarkar, B., Foster, A.C., Pre-and peristroke treatment with the adenosine kinase inhibitor, 5*SYMBOL 162 \f "Symbol" \s 8-deoxyiodotubercidin, significantly reduces infarct volume after temporary occlusion of the middle cerebral artery in rats, 73
Miller, P.J., see Jiao, S., 187
Mizuno, Y., see Mogi, M., 195
Mogi, M., Harada, M., Kondo, T., Mizuno, Y., Narabayashi, H., Riederer, P., Nagatsu, T., The soluble form of Fas molecule is elevated in parkinsonian brain tissues, 195
Morello, R., see Schumann, P., 137
Morita, N., see Hashimoto, S., 129
Morlet, T., Perrin, E., Durrant, J.D., Lapillonne, A., Ferber, C., Duclaux, R., Putet, G., Collet, L., Development of cochlear active mechanisms in humans differs between gender, 49
Murota, S.-i., see Sato-Suzuki, I., 21

Nagatsu, T., see Mogi, M., 195
Narabayashi, H., see Mogi, M., 195
Nieoullon, A., see Salin, P., 179
Nishikawa, Y., Shibata, S., Shimazoe, T., Watanabe, S., Methylcobalamin induces a long-lasting enhancement of the field potential in rat suprachiasmatic nucleus slices, 199
Noailles, P.-A.H., see Datta, U., 77
Novikov, L., see Novikova, L., 203

Novikova, L., Novikov, L., Kellerth, J.-O., Brain-derived neurotrophic factor reduces necrotic zone and supports neuronal survival after spinal cord hemisection in adult rats, 203

O'Connor, W.T., see Ferraro, L., 5
O'Hare, K., see Hurley, M.J., 66
O'Regan, M.H., see Song, D., 1
Obál, Jr., F., see Zhang, J., 97
Okere, C.O., Higuchi, T., Down-regulation of endogenous nitric oxide synthase in late-pregnancy and parturition in the rat hypothalamic magnocellular neurons and neurohypophysis, 133
Onufriev, M.V., see Gulyaeva, N.V., 147

Palomo, A., see Durany, N., 151
Pérez-Tur, J., see Lambert, J.-C., 57
Perrin, E., see Morlet, T., 49
Pfeiffer, S.E., see Madison, D.L., 183
Phillis, J.W., see Song, D., 1
Porreca, F., see Bilsky, E.J., 155
Putet, G., see Morlet, T., 49

Rabin, O., see Chang, M.C.J., 171
Rahmani, H.R., Ingram, C.D., Characterisation of vasopressin V_{1a} binding sites in the ovine olfactory bulb, 33
Rambert, F., see Ferraro, L., 5
Rapoport, S.I., see Chang, M.C.J., 171
Rathbone, M.P., see Gysbers, J.W., 175
Riederer, P., see Durany, N., 151
Riederer, P., see Mogi, M., 195
Rodriguez, M., see Datta, U., 77
Ryan, D.H., see Smagin, G.N., 167

Salin, P., Nieoullon, A., The contralateral cortex contributes to the effects of hemidecortication on neuropeptide Y immunoreactivity in the rat striatum, 179
Satoh, K., see Ikemoto, K., 69
Sato-Suzuki, I., Murota, S.-i., Simvastatin inhibits the division and induces neurite-like outgrowth in PC12 cells, 21
Sattelle, D.B., see Grolleau, F., 142
Sawchenko, P.E., see Floyd, N.S., 105
Schmitz, D., see Behr, J., 41
Schumann, P., Touzani, O., Young, A.R., Verard, L., Morello, R., MacKenzie, E.T., Effects of indomethacin on cerebral blood flow and oxygen metabolism: a positron emission tomographic investigation in the anaesthetized baboon, 137
Shibata, S., see Nishikawa, Y., 199
Shiga, T., see Kumura, E., 45
Shimazoe, T., see Nishikawa, Y., 199
Smagin, G.N., Harris, R.B.S., Ryan, D.H., Corticotropin-releasing factor receptor antagonist infused into the locus coeruleus attenuates immobilization stress-induced defensive withdrawal in rats, 167
Song, D., O'Regan, M.H., Phillis, J.W., Release of the excitotoxic amino acids, glutamate and aspartate, from the isolated ischemic/anoxic rat heart, 1
Stepanichev, M.Y., see Gulyaeva, N.V., 147
Stern, G.M., see Hurley, M.J., 66

Takaoka, M., see Kumura, E., 45
Takeuchi, H.-a., Yazaki, Y., Matsushima, T., Aoki, K., Expression of Fos-like immunoreactivity in the brain of quail chick emitting the isolation-induced distress calls, 191
Tanganelli, S., see Ferraro, L., 5
Thome, J., see Durany, N., 151
Touzani, O., see Schumann, P., 137
Turner, N.A., Walker, J.H., Ball, S.G., Vaughan, P.F.T., Down-regulation or long-term inhibition of protein kinase C (PKC) reduces noradrenaline release evoked via either PKC-dependent or PKC-independent pathways in human SH-SY5Y neuroblastoma cells, 37

Uchida, K., see Hurley, M.J., 66
Ugarkar, B., see Miller, L.P., 73

van den Buuse M., see Cornish J.L., 17
Vanmechelen, E., see Ingelson, M., 9
Vaughan, P.F.T., see Turner, N.A., 37
Verard, L., see Schumann, P., 137
Volkov, A.V., see Gulyaeva, N.V., 147
Voskuhl, R.R., see Ding, M., 89

Walker, J.H., see Turner, N.A., 37
Wall, P.D., see Lidierth, M., 25
Wang, T., see Bilsky, E.J., 155
Watanabe, S., see Nishikawa, Y., 199
Withington, D.J., McCrossan, D., Severing the intercollicular commissure prevents bilateral disruption of the map of auditory space in the superior colliculi following monocular enucleation, 29
Wong, J.L., see Ding, M., 89

Yaksh, T.L., see Dirig, D.M., 93
Yao, L., see Miller, L.P., 73
Yazaki, Y., see Takeuchi, H.-a., 191
Yoshimine, T., see Kumura, E., 45
Young, A.R., see Schumann, P., 137

Zarzhetsky, Y.V., see Gulyaeva, N.V., 147
Zhang, J., Obál, Jr., F., Fang, J., Collins, B.J., Krueger, J.M., Non-rapid eye movement sleep is suppressed in transgenic mice with a deficiency in the somatotropic system, 97
Zhang, M., see Ding, M., 89
Zhang, Y., see Datta, U., 77